L Number	Hits	Search Text	DB	Time stamp
1	0	"centralized metadata repository"	USPAT;	2002/10/31 08:33
-			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	_		IBM_TDB	
3	0	centralized! SAME "metadata repository"	USPAT;	2002/10/31 08:28
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	•		IBM TDB	
2	68	"metadata repository"	USPAT;	2002/10/31 08:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/21 00 07
4	172	"centralized repository"	USPAT; US-PGPUB;	2002/10/31 09:07
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	6	metadata SAME "centralized repository"	USPĀT;	2002/10/31 08:34
			US-PGPUB;	
			EPO; JPO;	
	!		DERWENT;	
6	22	("meta data" OR metadata!) AND	IBM_TDB USPAT;	2002/10/31 08:38
	22	"centralized repository"	US-PGPUB;	2002, 10, 31 00.36
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
7	16		USPAT;	2002/10/31 08:35
1		"centralized repository") NOT (metadata	US-PGPUB;	
		SAME "centralized repository")	EPO; JPO; DERWENT;	
ļ .			IBM TDB	
8	11835	(external\$4 OR central\$4) NEAR2	USPAT;	2002/10/31 08:44
		(repository! OR file! OR database\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	92	("meta data" OR metadata!) SAME	IBM_TDB USPAT;	2002/10/31 08:41
	72	((external\$4 OR central\$4) NEAR2	US-PGPUB;	2002/10/31 00.41
1		(repository! OR file! OR database\$2))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	1899	"database application"	USPAT;	2002/10/31 08:38
]			US-PGPUB; EPO; JPO;	
	İ		DERWENT;	
			IBM TDB	
11	1051	"database applications"	USPAT;	2002/10/31 08:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
12	33771	 "application program"	<pre>IBM_TDB USPAT;</pre>	2002/10/31 08:39
**	55//1	application program	US-PGPUB;	2002/10/31 00.39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
13	19293	"application programs"	USPAT;	2002/10/31 08:39
<u> </u>			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	1
14	20699	"operating systems"	USPAT;	2002/10/31 08:39
			US-PGPUB;	
1			EPO; JPO;	
]	İ		DERWENT;	
Ll			IBM_TDB	

15	77225	"operating system"	USPAT; US-PGPUB; EPO; JPO;	2002/10/31 08:40
16	35015	"application programs" OR "operating systems"	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/10/31 08:40
		Sys comb	EPO; JPO; DERWENT; IBM TDB	
17	42	("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 parameter\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 08:43
18	3695	("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 08:41
19	2	(("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 parameter\$2) AND (("meta data" OR metadata!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 08:41
20	167	("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 08:49
21	2	(("meta data" OR metadata!) SAME ((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2))) AND (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 08:44
22	2	"centralized repository" AND (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 08:44
23	12	(external\$4 OR central\$4) SAME (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 .08:45
24	5	((external\$4 OR central\$4) SAME (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2))) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:05
25	9	((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) AND (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2)) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 08:47
26	41	((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) SAME (a8 OR meta!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 08:47
27	105	<pre>((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) SAME ((("meta data" OR metadata!)) OR meta!)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 08:48

28	2	(("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20	USPAT; US-PGPUB;	2002/10/31 08:48
		(database\$2 OR file! OR repository! OR	EPO; JPO;	
		meta! OR metadata! OR parameter\$2)) ANd	DERWENT;	
		(((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) SAME	IBM_TDB	
		((("meta data" OR metadata!)) OR meta!))		
29	106539	"database application" OR "database	USPAT;	2002/10/31 08:48
		applications" OR "application program" OR	US-PGPUB;	
		"application programs" OR "operating systems" OR "operating system"	EPO; JPO; DERWENT;	
		21000	IBM_TDB	
30	782	("database application" OR "database	USPAT;	2002/10/31 08:52
		applications" OR "application program" OR "application programs" OR "operating	US-PGPUB; EPO; JPO;	
		systems" OR "operating system") NEAR20	DERWENT;	
		configuration\$2 NEAR20 (database\$2 OR	IBM_TDB	
		<pre>file! OR repository! OR meta! OR metadata! OR parameter\$2)</pre>		
31	140	((external\$4 OR central\$4) NEAR2	USPAT;	2002/10/31 08:50
		(repository! OR file! OR database\$2)) AND	US-PGPUB;	
		(("database application" OR "database applications" OR "application program" OR	EPO; JPO; DERWENT;	
		"application programs" OR "operating	IBM TDB	
		systems" OR "operating system") NEAR20		
		configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata!		
		OR parameter\$2))		
32	7	((external\$4 OR central\$4) NEAR2	USPAT;	2002/10/31 08:51
		<pre>(repository! OR file! OR database\$2)) AND (("database application" OR "database</pre>	US-PGPUB; EPO; JPO;	
		applications" OR "application program" OR	DERWENT;	
		"application programs" OR "operating	IBM_TDB	
		systems" OR "operating system") NEAR20 configuration\$2 NEAR20 (database\$2 OR		
		file! OR repository! OR meta! OR metadata!		
		OR parameter\$2)) AND (("meta data" OR		
33	208	metadata!)) NOT @AD>19981231 ("database application" OR "database	USPAT;	2002/10/31 09:05
		applications" OR "application program" OR	US-PGPUB;	
		"application programs" OR "operating	EPO; JPO;	
		systems" OR "operating system") NEAR20 configuration\$2 NEAR20 (meta! OR metadata!	DERWENT; IBM TDB	
		OR parameter\$2)		
34	5	"centralized repository" AND (("database	USPAT;	2002/10/31 09:04
		application" OR "database applications" OR "application program" OR "application	US-PGPUB; EPO; JPO;	
		programs" OR "operating systems" OR	DERWENT;	
		"operating system") NEAR20 configuration\$2	IBM_TDB	
		<pre>NEAR20 (meta! OR metadata! OR parameter\$2))</pre>		
35	6733	("database application" OR "database	USPAT;	2002/10/31 09:09
		applications" OR "application program" OR "application programs" OR "operating	US-PGPUB; EPO; JPO;	
		systems" OR "operating system") NEAR20	DERWENT;	
		(configuration\$2 OR meta! OR metadata! OR	IBM_TDB	
36	11	parameter\$2) "centralized repository" AND (("database	USPAT;	2002/10/31 09:05
30	11	application" OR "database applications" OR	US-PGPUB;	
		"application program" OR "application	EPO; JPO;	
		programs" OR "operating systems" OR "operating system") NEAR20	DERWENT; IBM TDB	
		(configuration\$2 OR meta! OR metadata! OR	1011_100	
	_	parameter\$2))		0000/10/55 55 55
37	5	("centralized repository" AND (("database application" OR "database applications" OR	USPAT; US-PGPUB;	2002/10/31 09:06
		"application program" OR "application	EPO; JPO;	
		programs" OR "operating systems" OR	DERWENT;	
		<pre>"operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR</pre>	IBM_TDB	
		parameter\$2))) NOT @AD>19981231	l	

38	43	centralized ! SAME (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR parameter\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:07
39	43	centralized! SAME (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR parameter\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:07
40	14	(centralized! SAME (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR parameter\$2))) AND repository!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:08
41	8	((centralized! SAME (("database application" OR "database application" OR "database application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR parameter\$2))) AND repository!) NOT ("centralized repository" AND (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR parameter\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:09
42	10	"centralized repository" SAME configuration\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 09:09
43	19	"centralized repository" SAME (configuration\$2 OR meta! OR metadata! OR parameter\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:10
44	9	("centralized repository" SAME (configuration\$2 OR meta! OR metadata! OR parameter\$2)) NOT ("centralized repository" SAME configuration\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/31 09:10



L Number	Hits	Search Text	DB	Time stamp
1 Number	0		USPAT;	2002/10/31 08:33
1		conclusion mediated repository	US-PGPUB;	2002, 10, 31 00.33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	0	centralized! SAME "metadata repository"	USPAT;	2002/10/31 08:28
			US-PGPUB;	
ļ			EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
2	68	"metadata repository"	USPAT;	2002/10/31 08:33
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	172	"centralized repository"	USPAT;	2002/10/31 09:07
	- -		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	6	metadata SAME "centralized repository"	USPAT;	2002/10/31 08:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
6	22	("meta data" OP motadatal\ AND	IBM_TDB USPAT;	2002/10/31 08:38
6	22	("meta data" OR metadata!) AND "centralized repository"	US-PGPUB;	2002/10/31 00:38
		concratized repository	EPO; JPO;	
			DERWENT;	
			IBM TDB	
7	16	(("meta data" OR metadata!) AND	USPAT;	2002/10/31 08:35
		"centralized repository") NOT (metadata	US-PGPUB;	·
		SAME "centralized repository")	EPO; JPO;	
			DERWENT;	
		144 07 144 2700	IBM_TDB	0000/10/21 00 44
8	11835	(external\$4 OR central\$4) NEAR2	USPAT;	2002/10/31 08:44
		(repository! OR file! OR database\$2)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	92	("meta data" OR metadata!) SAME	USPĀT;	2002/10/31 08:41
		((external\$4 OR central\$4) NEAR2	US-PGPUB;	
	1	(repository! OR file! OR database\$2))	EPO; JPO;	1
1			DERWENT;	
			IBM_TDB	0000 (40 (51 55 55
10	1899	"database application"	USPAT;	2002/10/31 08:38
	{		US-PGPUB; EPO; JPO;	
1			DERWENT;	
1	1		IBM TDB	
11	1051	"database applications"	USPAT;	2002/10/31 08:38
=-	-552		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	33771	"application program"	USPAT;	2002/10/31 08:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
13	19293	"application programs"	IBM_TDB USPAT;	2002/10/31 08:39
10	1,72,93	abbitogetou broatama	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1			IBM TDB	
14	20699	"operating systems"	USPAT;	2002/10/31 08:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

77225	"operating system"	USPAT; US-PGPUB;	2002/10/31 08:40
		DERWENT;	
35015	"application programs" OR "operating systems"	USPAT;	2002/10/31 08:40
,		EPO; JPO; DERWENT;	
42	("application programs" OR "operating	USPAT;	2002/10/31 08:43
:	parameter\$2	EPO; JPO; DERWENT;	
3695	("meta data" OR metadata!)	USPĀT;	2002/10/31 08:41
		EPO; JPO; DERWENT;	
2	(("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20	USPĀT;	2002/10/31 08:41
	<pre>parameter\$2) AND (("meta data" OR metadata!))</pre>	EPO; JPO; DERWENT;	
167	("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20	USPĀT;	2002/10/31 08:49
	(database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2)	EPO; JPO; DERWENT; IBM TDB	
2	(("meta data" OR metadata!) SAME ((external\$4 OR central\$4) NEAR2	USPAT; US-PGPUB;	2002/10/31 08:44
	(("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20	DERWENT; IBM_TDB	,
	meta! OR metadata! OR parameter\$2))	перат.	2002/10/31 08:44
2	(("application programs" OR "operating	US-PGPUB; EPO; JPO;	2002/10/31 00:44
	(database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2))	DERWENT; IBM_TDB	2002/10/21 00:45
12	(("application programs" OR "operating	US-PGPUB;	2002/10/31 08:45
	(database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2))	DERWENT; IBM_TDB	
5	(("application programs" OR "operating	US-PGPUB;	2002/10/31 09:05
	(database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2))) NOT	DERWENT; IBM_TDB	
9	((external\$4 OR central\$4) NEAR2	USPAT; US-PGPUB;	2002/10/31 08:47
	(("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20	EPO; JPO; DERWENT;	
	meta! OR metadata! OR parameter\$2)) NOT	TRW_LDR	
41	((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) SAME	USPAT; US-PGPUB;	2002/10/31 08:47
	(as UR meta!)	DERWENT;	
105	((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) SAME	USPĀT; US-PGPUB;	2002/10/31 08:48
	((("meta data" OR metadata!)) OR meta!)	DERWENT; IBM TDB	
	35015 42 3695 2 167 2 12 5 9	"application programs" OR "operating systems" 42 ("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 parameter\$2 3695 ("meta data" OR metadata!) 2 (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 parameter\$2) AND (("meta data" OR metadata!)) 167 ("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2) 2 (("meta data" OR metadata!) SAME ((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) AND (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2) 2 "centralized repository" AND (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2)) 2 "centralized repository" AND (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2)) 12 (external\$4 OR central\$4) SAME (("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2)) 5 ((external\$4 OR central\$4) NEAR2 (repository! OR meta! OR metadata! OR parameter\$2)) NOT @AD>19981231 9 ((external\$4 OR central\$4) NEAR2 (repository! OR meta! OR metadata! OR parameter\$2)) NOT @AD>19981231 ((external\$4 OR central\$4) NEAR2 (repository! OR meta! OR metadata! OR parameter\$2)) NOT @AD>19981231 10 (external\$4 OR central\$4) NEAR2 (repository! OR meta! OR metadata! OR parameter\$2)) NOT @AD>19981231 11 ((external\$4 OR central\$4) NEAR2 (repository! OR meta! OR metadata! OR parameter\$2)) NOT @AD>19981231 12 ((external\$4 OR central\$4) NEAR2 (repository! OR meta! OR metadata! OR parameter\$2)) NOT @AD>19981231 13 ((external\$4 OR central\$4) NEAR2 (repository! OR meta! OR metadata! OR parameter\$2)) NOT @AD>19981231	35015 "application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-

28	2	(("application programs" OR "operating systems") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR	USPAT; US-PGPUB; EPO; JPO;	2002/10/31 08:48
		meta! OR metadata! OR parameter\$2)) ANd (((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) SAME	DERWENT; IBM_TDB	
29	106539	((("meta data" OR metadata!)) OR meta!)) "database application" OR "database	USPAT; US-PGPUB;	2002/10/31 08:48
		applications" OR "application program" OR "application programs" OR "operating system"	EPO; JPO; DERWENT; IBM TDB	
30	782	("database application" OR "database applications" OR "application program" OR "application programs" OR "application programs" OR "operating	USPAT; US-PGPUB; EPO; JPO;	2002/10/31 08:52
		systems" OR "operating system") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2)	DERWENT; IBM_TDB	
31	140	((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) AND (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 08:50
		<pre>configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2))</pre>		
32	7	((external\$4 OR central\$4) NEAR2 (repository! OR file! OR database\$2)) AND (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 configuration\$2 NEAR20 (database\$2 OR file! OR repository! OR meta! OR metadata! OR parameter\$2)) AND (("meta data" OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 08:51
33	208	metadata!)) NOT @AD>19981231 ("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 configuration\$2 NEAR20 (meta! OR metadata! OR parameter\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:05
34	5	"centralized repository" AND (("database application" OR "database applications" OR "application programs" OR "application programs" OR "operating systems" OR "operating system") NEAR20 configuration\$2 NEAR20 (meta! OR metadata! OR parameter\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:04
35	6733	("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:05
36	11	application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:05
37	5	parameter\$2)) ("centralized repository" AND (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:06
		parameter\$2))) NOT @AD>19981231		

38	43	application" OR "database applications" OR "application program" OR "application	USPAT; US-PGPUB; EPO; JPO;	2002/10/31 09:07
		programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR	DERWENT; IBM_TDB	
39	43	<pre>parameter\$2)) centralized! SAME (("database application"</pre>	USPAT;	2002/10/31 09:07
		OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR parameter\$2))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	3332713731 33137
40	14	(centralized! SAME (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR parameter\$2))) AND repository!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:08
41	8	((centralized! SAME (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating system") NEAR20 (configuration\$2 OR meta! OR metadata! OR parameter\$2))) AND repository!) NOT ("centralized repository" AND (("database application" OR "database applications" OR "application program" OR "application programs" OR "operating systems" OR "operating systems" OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 09:08
		<pre>(configuration\$2 OR meta! OR metadata! OR parameter\$2)))</pre>		

